Notice of Allowability

Application No.	Applicant(s)	
09/449,270	HARTLEY ET AL.	
Examiner	Art Unit	
Julian W. Woo	3773	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address-All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included
herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS
NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative
of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- 1. This communication is responsive to the amendment of 5/12/08.
- The allowed claim(s) is/are 24-31 and 33-42.
- 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a)

 All b)

 Some* c)

 None of the:
 - 1. X Certified copies of the priority documents have been received.
 - 2.

 Certified copies of the priority documents have been received in Application No.
 - Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: ____

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

- 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) ☑ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1. Notice of References Cited (PTO-892)
- Notice of Draftperson's Patent Drawing Review (PTO-948)
- Information Disclosure Statements (PTO/SB/08), Pacer No./Mail Date
- 5. ☐ Notice of Informal Patent Application
- Interview Summary (PTO-413), Paper No./Mail Date 20080812.
- 7. X Examiner's Amendment/Comment
- 8. $\[igsimes$ Examiner's Statement of Reasons for Allowance
- 9. 🔲 Other ____

Application/Control Number: 09/449,270 Page 2

Art Unit: 3773

EXAMINER'S AMENDMENT

 An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in telephone interviews with Richard J. Godlewski, Reg. No. 30,056, on August 11 and 13, 2008.

The application has been amended as follows:

In claim 24, lines 2 and 3, delete "self expanding endovascular."

In line 3, after "distal end," insert -- and at least one self-expanding stent--.

In line 6, delete "attached," and in its place, insert --attachable--.

In line 8, delete "attached," and in its place, insert --attachable--.

In line 10, delete "attaching," and in its place, insert -being attachable--.

In line 13, delete the second occurrence of "and."

In line 15, delete "to enable," and in its place, insert -for enabling--.

In claim 36, line 2, delete "extending," and in its place, insert -extendable--.

Cancel claims 12-17 and 43-63, with the Applicant reserving the right to file continuing applications for these non-elected claims.

Application/Control Number: 09/449,270

Art Unit: 3773

3. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: The drawings must be formalized and include corrections as shown in the drawings filed on May 10, 2000. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

4. The following is an examiner's statement of reasons for allowance: None of the prior art of record, alone or in combination, discloses an introducer includes, inter alia, proximal and distal attachment devices and proximal and distal releasing means, where a proximal trigger wire extends from the proximal attachment device to a manipulation section and adapted to activate the proximal releasing means.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

 Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julian W. Woo whose telephone number is 571-272-4707. The examiner can normally be reached on M-TH:6:30-4:00: alt. Fri.: 6:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tan-Uyen (Jackie) Ho can be reached on 571-272-4696. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/449,270 Page 4

Art Unit: 3773

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Julian W. Woo/ Primary Examiner, Art Unit 3773

August 13, 2008